

OK to enter  
MC  
11/28/03

**IN THE CLAIMS**

Claims 1-4 (canceled)

Claim <sup>2</sup>~~5~~ (previously presented): A method according to claim <sup>1</sup>~~6~~ which yields an Odour Reduction Value of at least 10%.

<sup>1</sup>  
Claim ~~8~~ (previously presented): A cosmetic method for reducing or preventing body malodour by topically applying to human skin a perfume composition comprising at least 30% by weight of perfume components having a minimum inhibitory concentration (MIC) for *coryneform* bacteria of greater than 0.1%, wherein the perfume components are selected from one or more of the following: (Z)-3,4,5,6,6-pentamethylhept-3-en-2-one, 2,6,10-trimethylundec-9-enal, 1-(4-Methoxyphenyl)-1-propene, diethylcyclohex-2-en-1-one, dimethylcyclohex-2-en-1-one, Basil comores, , 2-methyl-5-(1-methyl-1-ethenyl)-2-cyclohexen)-1-one, Cis-3-hexenyl, salicylate, methyl 3,3-dimethylbicyclo(2.2.1)heptane-2-carboxylate, 2-methyl-3-(4-(1-methylethyl)phenyl)propanal, 1-(2,6,6-methyl-1,3-cyclohexadienyl)-2-buten-1-one, Dihydrojasnone, alpha,alpha-Dimethylphenylethylacetate, Dimethyl anthranilate, 1-(2-((1-(ethyloxy)ethyloxy)ethyl)benzene; 4-(4-methyl-3-pentenyl) cyclohex-3-ene-1-carbaldehyde, 3-(4-methyl-3-pentenyl)cyclohex-3-ene-1-carbaldehyde), Fir needle, 3-(1,3-benzodioxol-5-yl)-2-methylpropanol,  $\alpha$ -ionone,  $\beta$ -ionone, tricyclo[5.2.1.0 2,6] and dec-4-en-8-yl ethanoate, Jasmopyrane forte, 1-methoxy-4-(2-propenyl)-benzene, 2-(1,1-dimethylethyl)cyclohexyl ethanoate), PTBCHA, 2,4-dimethyl-4-phenyl(tetrahydrofuran, 4-Methyl-2-(2-methylprop-1-enyl)tetrahydropyran, Rosemary Tunisian, 3,6-dihydro-2-phenyl-4-methyl-2H-pyran, Terpinolene extra, Tetrahydro linalol, Thyme white, Ti-tree pure, and undecalactone gamma.

Claim 7 (canceled)

<sup>3</sup>  
Claim ~~8~~ (previously presented): A method according to claim <sup>1</sup>~~6~~ wherein the biotransformation by coryneform bacteria, of organic molecules present in human sweat is diminished sub-lethally.

Claims 9-14 (canceled)

Claim <sup>4</sup>~~15~~ (previously presented): A cosmetic method for reducing or preventing body malodour by topically applying to human skin a perfume composition comprising at least 50% by weight of perfume components having a minimum inhibitory concentration (MIC) for *coryneform* bacteria of greater than 0.1%, wherein the perfume components are selected from one or more of the following: (Z)-3,4,5,6,6-pentamethylhept-3-en-2-one, 2,6,10-trimethylundec-9-enal, 1-(4-Methoxyphenyl)-1-propene, diethylcyclohex-2-en-1-one, dimethylcyclohex-2-en-1-one, Basil comores, 2-methyl-5-(1-methyl-1-ethenyl)-2-cyclohexen-1-one, Cis-3-hexenyl salicylate, methyl 3,3-dimethylbicyclo(2.2.1)heptane-2-carboxylate, Citronellol, 2-methyl-3-(4-(1-methylethyl)phenyl)propanal, 1-(2,6,6-trimethyl-1,3-cyclohexadienyl)-2-buten-1-one, Dihydrojasnone, alpha,alpha-Dimethylphenylethylacetate, Dimethyl anthranilate, 1-(2-((1-(ethyloxy)ethyl)oxy)ethyl)benzene, 4-(4-methyl-3-pentenyl) cyclohex-3-ene-1-carbaldehyde, 3-(4-methyl-3-pentenyl)cyclohex-3-ene-1-carbaldehyde), Fir needle, 3-(1,3-benzodioxol-5-yl)-2-methylpropanol,  $\alpha$ -ionone,  $\beta$ -ionone, tricyclo[5.2.1.0 2,6]dec-4-en-8-yl ethanoate, Jasmopyrane forte, 1-methoxy-4-(2-propenyl)-benzene, 2-(1,1-dimethylethyl)cyclohexyl ethanoate), PTBCHA, 2,4-dimethyl-4-phenyltetrahydrofuran, 4-Methyl-2-(2-methylprop-1-enyl)tetrahydropyran, Rosemary Tunisian, 3,6-dihydro-2-phenyl-4-methyl-2H-pyran, Terpinolene extra, Tetrahydro linalol, Thyme white, Ti-tree pure, and Undecalactone gamma.

Claim <sup>5</sup>~~16~~ (previously presented): A cosmetic method for reducing or preventing body malodour by topically applying to human skin a perfume composition comprising at least 30% by weight of at least 5 perfume components having a minimum inhibitory concentration (MIC) for *coryneform* bacteria of greater than 0.1%, wherein the perfume components are selected from one or more of the following: (Z)-3,4,5,6,6-pentamethylhept-3-en-2-one, 2,6,10-trimethylundec-9-enal, 1-(4-Methoxyphenyl)-1-propene, diethylcyclohex-2-en-1-one, dimethylcyclohex-2-en-1-one, Basil comores, 2-methyl-5-(1-methyl-1-ethenyl)-2-cyclohexen-1-one, Cis-3-hexenyl salicylate, methyl 3,3-

WILSON ET AL  
Serial No. 09/743,111

dimethylbicyclo(2.2.1)heptane-2-carboxylate, Citronellol, Corriander, 2-methyl-3-(4-(1-methylethyl)phenyl)propanal, 1-(2,6,6-trimethyl-1,3-cyclohexadienyl)-2-buten-1-one, Dihydrojasnone, alpha,alpha-Dimethylphenylethylacetate, Dimethyl anthranilate, 1-(2-((1-(ethyloxy)ethyl)oxy)ethyl)benzene, 4-(4-methyl-3-pentenyl) cyclohex-3-ene-1-carbaldehyde, 3-(4-methyl-3-pentenyl)cyclohex-3-ene-1-carbaldehyde), Fir needle, 3-(1,3-benzodioxol-5-yl)-2-methylpropanol,  $\alpha$ -ionone,  $\beta$ -ionone, tricyclo[5.2.1.0 2,6]dec-4-en-8-yl ethanoate, Jasmopyrane forte, 1-methoxy-4-(2-propenyl)-benzene, 2-(1,1-dimethylethyl)cyclohexyl ethanoate), PTBCHA, 2,4-dimethyl-4-phenyltetrahydrofuran, 4-Methyl-2-(2-methylprop-1-enyl)tetrahydropyran, Rosemary Tunisian, 3,6-dihydro-2-phenyl-4-methyl-2H-pyran, Terpinolene extra, Tetrahydro linalol, Thyme white, Ti-tree pure, and Undecalactone gamma.